

Jiangsu, China HENG TONG

# Standard Base Plate Steel Frame Connection Fitting For Channel 15-20Kg

#### **Basic Information**

- Place of Origin:
- Brand Name:
- Model Number: L-26F
- Minimum Order Quantity: 500 pieces
- Price: \$0.10 \$2.00/pieces
- Packaging Details: packed in cartons and special packages according to customers' request.
- Supply Ability: 10000 Piece/Pieces per Month



## **Product Specification**

•	After-sale Service:	Online Technical Support, Onsite Installation, Free Spare Parts, Return And Replacement
•	Alloy Or Not:	Non-Alloy
•	Secondary Or Not:	Non-secondary
•	Project Solution Capability:	Graphic Design, 3D Model Design, Total Solution For Projects, Cross Categories Consolidation
•	Application:	Hotel
•	Design Style:	Modern
•	Surface Treatment:	Galvanized/stainless Steel
•	Material:	Q235
•	Usage:	Concrete Construction Support
•	Certificate:	ISO 9001
•	Loading Port:	Shanghai/Tianjin/Ningbo
•	Packing:	Carton+pallet
•	MOQ:	500pcs



### More Images



#### **Product Description**

#### base plate standard steel frame and connection fitting for channel

Channel fittings are also widely applied in HVAC (heating, ventilation, and air conditioning) systems for routing ductwork and pipes.

They provide a secure platform for mounting electrical panels, junction boxes, and control cabinets. These fittings are suitable for use in seismic zones, as they offer stability and resistance to seismic activities.

connection fitting for channel 1.Thickness is 6mm, hole spacing on center is 47.6mm, hole spacing from end is 20.6mm, width is

40 mm and steel grade is Q235 for all general fittings but special specification.

2. Hole diameter is 11mm for M10 fittings, 13mm for M12 fittings but special specification.

3. The series are all manufacture from low-carbon steel with galvanized finish.

4. The series are also available in stainless steel. If you need special application fittings, contact us

for size.











